



Safety Data Sheet

according to WHS Regulations

Printing date 19.02.2018

Revision: 19.02.2018

1 Identification

Product Name: DYNACARE HEADLIGHT LENS RESTORATION POLISH 30mL - 20724K

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Cleaner for headlight restoration.

Details of Manufacturer or Importer:

AFC International Pty Ltd
21-23 Hobart Street,
Riverstone NSW 2765

Phone Number: +61 2 9627 7125

Emergency telephone number: +61 2 9627 7125

2 Hazard(s) Identification

Hazardous Nature:

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

The product is not classified according to the Globally Harmonised System (GHS).

Signal Word Void

Hazard Statements Void

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

8008-20-6	Kerosine (petroleum) ⚠️ Aspiration Hazard 1, H304; Flammable Liquids 4, H227	1 - 5%
102-71-6	2,2',2''-Nitrilotriethanol ⚠️ Skin Corrosion/Irritation 2, H315; Serious Eye Damage/Irritation 2A, H319; STOT SE 3, H335	1 - 5%
2682-20-4	3-Isothiazolone, 2-methyl- ⚠️ Acute Toxicity (Oral) 3, H301; Acute Toxicity (Inhalation) 3, H331; ⚠️ Skin Corrosion/Irritation 1B, H314; Serious Eye Damage/Irritation 1, H318; ⚠️ Acute Toxicity (Dermal) 4, H312; Skin Sensitisation 1B, H317	0.01 - 0.025%
2634-33-5	1,2-benzisothiazol-3(2H)-one ⚠️ Serious Eye Damage/Irritation 1, H318; ⚠️ Aquatic Acute 1, H400; ⚠️ Acute Toxicity (Oral) 4, H302; Skin Corrosion/Irritation 2, H315; Skin Sensitisation 1, H317	0.01 - 0.025%

Non Hazardous Components:

64742-71-8	Paraffin oils (petroleum), catalytic dewaxed light	1 - 5%
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic	1 - 5%

Additional information:

The following note applies to paraffin oils (petroleum), catalytic dewaxed light and distillates (petroleum), hydrotreated heavy paraffinic (CAS Nos. 64742-71-8 and 64742-54-7):

The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method', Institute of

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 19.02.2018

Revision: 19.02.2018

Product Name: DYNACARE HEADLIGHT LENS RESTORATION POLISH 30mL - 20724K

(Contd. of page 1)

Petroleum, London.

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap for at least 20 minutes. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 20 minutes. Remove contact lenses, if present and easy to do. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure: No information available

5 Fire Fighting Measures

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, nitrogen and metals.

Product is not flammable.

Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure. Empty containers may contain product residue. Do not reuse empty containers.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 19.02.2018

Revision: 19.02.2018

Product Name: DYNACARE HEADLIGHT LENS RESTORATION POLISH 30mL - 20724K

(Contd. of page 2)

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Opened containers must be carefully resealed and stored upright to prevent leakage. Keep away from oxidising agents and acids. Do not store in unlabelled containers.

8 Exposure Controls and Personal Protection

Exposure Standards:**102-71-6 2,2',2"-Nitrilotriethanol**

WES	TWA: 5 mg/m ³
	Sen

Engineering Controls:

Maintain air concentration below occupational exposure standards, providing adequate ventilation.

Respiratory Protection:

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Chemical-resistant, impervious gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Liquid
Colour:	Light blue
Odour:	Slight solvent odour
Odour Threshold:	No information available
pH-Value:	7.1 - 9.1 (100%)
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	No information available
Flash Point:	>93 °C (Closed Cup)
Flammability:	Product is not flammable.
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	No information available
Relative Density:	No information available
Vapour Density:	No information available
Evaporation Rate:	No information available

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 19.02.2018

Revision: 19.02.2018

Product Name: DYNACARE HEADLIGHT LENS RESTORATION POLISH 30mL - 20724K

(Contd. of page 3)

Solubility in Water: No information available
Partition Coefficient (n-octanol/water): No information available
Viscosity: No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: No further relevant information available.

Incompatible Materials: Oxidising agents and acids.

Hazardous Decomposition Products: Oxides of carbon, nitrogen and metals.

11 Toxicological Information

Toxicity:

LD₅₀/LC₅₀ Values Relevant for Classification:

8008-20-6 Kerosine (petroleum)

Oral	LD ₅₀	15,000 mg/kg (rat)
------	------------------	--------------------

102-71-6 2,2',2''-Nitrilotriethanol

Oral	LD ₅₀	7390 mg/kg (rat)
------	------------------	------------------

2634-33-5 1,2-benzisothiazol-3(2H)-one

Oral	LD ₅₀	1,020 mg/kg (rat)
------	------------------	-------------------

Acute Health Effects

Inhalation: No information available

Skin: No information available

Eye: No information available

Ingestion: No information available

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Triethanolamine is classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity:

Based on classification principles, the classification criteria are not met.

May cause damage to unborn child. May cause reduced foetal weight, skeletal malformations and increased foetal deaths.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No information available

Existing Conditions Aggravated by Exposure: No information available

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 19.02.2018

Revision: 19.02.2018

Product Name: DYNACARE HEADLIGHT LENS RESTORATION POLISH 30mL - 20724K

(Contd. of page 4)

Additional toxicological information: No information available

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:	
102-71-6 2,2',2''-Nitrilotriethanol	
EC ₅₀ /48 h	609.98 mg/l (daphnia)
LC ₅₀ /96 h	11,800 mg/l (fathead minnow)
2682-20-4 3-Isothiazolone, 2-methyl-	
EC ₅₀ /48 h	0.18 mg/l (daphnia)
LC ₅₀ /96 h	0.07 mg/l (rainbow trout)
2634-33-5 1,2-benzisothiazol-3(2H)-one	
EC ₅₀ /48 h	0.097 mg/l (daphnia)
LC ₅₀ /96 h	0.169 ppm (rainbow trout)
LC ₅₀ /48 h	>10 mg/l (daphnia)

Persistence and Degradability: No further relevant information available.**Bioaccumulative Potential:** Some ingredients of this product have a high potential for bioaccumulation.**Mobility in Soil:** No further relevant information available.**Other adverse effects:** No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number Not regulated**Proper Shipping Name** Not regulated**Dangerous Goods Class** Not regulated**Packing Group:** Not regulated

15 Regulatory Information

Australian Inventory of Chemical Substances:

8008-20-6	Kerosine (petroleum)
64742-71-8	Paraffin oils (petroleum), catalytic dewaxed light
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic
102-71-6	2,2',2''-Nitrilotriethanol
2682-20-4	3-Isothiazolone, 2-methyl-
2634-33-5	1,2-benzisothiazol-3(2H)-one

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Not Scheduled.

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 19.02.2018

Revision: 19.02.2018

Product Name: DYNACARE HEADLIGHT LENS RESTORATION POLISH 30mL - 20724K

(Contd. of page 5)

16 Other Information

Date of Preparation or Last Revision: 19.02.2018**Prepared by:** MSDS.COM.AU Pty Ltdwww.msds.com.au**Abbreviations and acronyms:**

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC₅₀: Lethal concentration, 50 percentLD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 4: Flammable liquids – Category 4

Acute Toxicity (Oral) 3: Acute toxicity – Category 3

Acute Toxicity (Dermal) 4: Acute toxicity – Category 4

Skin Corrosion/Irritation 1B: Skin corrosion/irritation – Category 1B

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Serious Eye Damage/Irritation 1: Serious eye damage/eye irritation – Category 1

Serious Eye Damage/Irritation 2A: Serious eye damage/eye irritation – Category 2A

Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

Skin Sensitisation 1B: Skin sensitisation, Hazard Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aspiration Hazard 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document “Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016”

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. AFC International Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.



Safety Data Sheet

according to WHS Regulations

Printing date 19.02.2018

Revision: 19.02.2018

1 Identification

Product Name: DYNACARE HEADLIGHT LENS RESTORATION BUFFING SPRAY 60 mL - 20724K

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Automotive care product

Details of Manufacturer or Importer:

AFC International Pty Ltd
21-23 Hobart Street,
Riverstone NSW 2765

Phone Number: +61 2 9627 7125

Emergency telephone number: +61 2 9627 7125

2 Hazard(s) Identification

Hazardous Nature:

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

The product is not classified according to the Globally Harmonised System (GHS).

Signal Word Void

Hazard Statements Void

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

67-63-0	Propan-2-ol	1.3%
	⚠ Flammable Liquids 2, H225; ⚠ Serious Eye Damage/Irritation 2A, H319; STOT SE 3, H336	

Additional information:

This product also contains proprietary quaternary ammonium compounds (CAS No. not supplied) <1%.

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 20 minutes. Remove contact lenses, if present and easy to do. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek medical attention if symptoms occur.

Symptoms Caused by Exposure: Eye Contact: May cause eye irritation.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 19.02.2018

Revision: 19.02.2018

Product Name: DYNACARE HEADLIGHT LENS RESTORATION BUFFING SPRAY 60 mL - 20724K

(Contd. of page 1)

5 Fire Fighting Measures

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and various hydrocarbons.

Product is not flammable or combustible.

Containers close to fire should be removed only if safe to do so.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots.

Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material.

Collect the spilled material and place into a suitable container for disposal.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use.

Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Keep away from substances that react with water. Store at room temperature.

8 Exposure Controls and Personal Protection

Exposure Standards:

67-63-0 Propan-2-ol

WES	STEL: 1230 mg/m ³ , 500 ppm
	TWA: 983 mg/m ³ , 400 ppm

Engineering Controls:

Maintain air concentration below occupational exposure standards, providing adequate ventilation.

Respiratory Protection: Respiratory protection is not required under normal use conditions.

Skin Protection: Skin protection is not required under normal use conditions.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 19.02.2018

Revision: 19.02.2018

Product Name: DYNACARE HEADLIGHT LENS RESTORATION BUFFING SPRAY 60 mL - 20724K

(Contd. of page 2)

9 Physical and Chemical Properties

Appearance:	
Form:	Fluid
Colour:	Light purple
Odour:	Slight
Odour Threshold:	No information available
pH-Value:	6 - 9
Melting point/freezing point:	~0 °C
Initial Boiling Point/Boiling Range:	~100 °C
Flash Point:	Not applicable
Flammability:	Product is not flammable.
Auto-ignition Temperature:	Not applicable
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	Not applicable
Upper:	Not applicable
Vapour Pressure:	~30 hPa
Density:	0.99 g/cm ³
Vapour Density:	No information available
Evaporation Rate:	~1 (Water = 1)
Solubility in Water:	Miscible
Partition Coefficient (n-octanol/water):	No information available
Viscosity at 40 °C:	<20.5 cSt
VOC:	1.3 %

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: No further relevant information available.

Incompatible Materials: Substances that react with water.

Hazardous Decomposition Products: No hazardous decomposition products known.

11 Toxicological Information

Toxicity:

LD₅₀/LC₅₀ Values Relevant for Classification:

Oral	LD ₅₀	>2000 mg/kg (rat)
Dermal	LD ₅₀	>2000 mg/kg (rabbit)

67-63-0 Propan-2-ol

Oral	LD ₅₀	5,045 mg/kg (rat)
Dermal	LD ₅₀	12,800 mg/kg (rabbit)
Inhalation	LC ₅₀ /4 h	30 mg/l (rat)

Acute Health Effects

Inhalation: No adverse health effects expected.

Skin: No adverse health effects expected.

Eye: May cause eye irritation.

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 19.02.2018

Revision: 19.02.2018

Product Name: DYNACARE HEADLIGHT LENS RESTORATION BUFFING SPRAY 60 mL - 20724K

(Contd. of page 3)

Ingestion: No adverse health effects expected.**Skin Corrosion / Irritation:** Based on classification principles, the classification criteria are not met.**Serious Eye Damage / Irritation:** Based on classification principles, the classification criteria are not met.**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:**

Isopropyl alcohol is classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** No information available**Existing Conditions Aggravated by Exposure:** No information available**Additional toxicological information:** No information available**12 Ecological Information****Ecotoxicity:****Aquatic toxicity:**LC₅₀/96 h >100 mg/l (fish)EC₅₀/72 h >100 mg/l (invertebrata)**67-63-0 Propan-2-ol**LC₅₀/96 h 9,640 mg/l (fathead minnow)**Persistence and Degradability:** Readily biodegradable.**Bioaccumulative Potential:** No further relevant information available.**Mobility in Soil:** No further relevant information available.**Other adverse effects:** No further relevant information available.**13 Disposal Considerations****Disposal Methods and Containers:** Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

14 Transport Information**UN Number** Not regulated**Proper Shipping Name** Not regulated**Dangerous Goods Class** Not regulated**Packing Group:** Not regulated

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 19.02.2018

Revision: 19.02.2018

Product Name: DYNACARE HEADLIGHT LENS RESTORATION BUFFING SPRAY 60 mL - 20724K

(Contd. of page 4)

15 Regulatory Information

Australian Inventory of Chemical Substances:

67-63-0	Propan-2-ol
7732-18-5	Water

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:
Not Scheduled.

16 Other Information

Date of Preparation or Last Revision: 19.02.2018

Prepared by: MSDS.COM.AU Pty Ltd

www.msds.com.au

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds

LC₅₀: Lethal concentration, 50 percent

LD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 2: Flammable liquids – Category 2

Serious Eye Damage/Irritation 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. AFC International Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.