



SAFETY DATA SHEET

According to Safe Work Australia

Printing date 26.10.2016

Revision: 26.10.2016

1. IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product Name: DYNAGRIP SUPA-BOND – ADHESIVE 10gm - 20210

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use:

Adhesive. Bonds to metals, plastics, glass and rubber.

Details of Manufacturer or Importer:

AFC International Pty Ltd
21-23 Hobart Street
Riverstone NSW 2765

Phone Number: +61 2 9627 7125

Emergency telephone number: +61 2 9627 7125

2. HAZARDS IDENTIFICATION

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



health hazard

Muta. 2 H341 Suspected of causing genetic defects.

Carc. 2 H351 Suspected of causing cancer.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

Flam. Liq. 4 H227 Combustible liquid.

Signal Word Warning

Hazard Statements

H227 Combustible liquid.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

(Contd. on page 2)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 26.10.2016

Revision: 26.10.2016

Product Name: DYNAGRIP SUPA-BOND – ADHESIVE 10gm - 20210

(Contd. of page 1)

Precautionary Statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P264	Wash hands thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: CO ₂ , powder or water spray.
P302+P352	IF ON SKIN: Wash with plenty of water.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national regulations.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical Characterization: Mixtures**Description:** Mixture of substances listed below with nonhazardous additions.

Hazardous Components:		
7085-85-0	ethyl 2-cyanoacrylate	60 - 100%
	⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
123-31-9	1,4-dihydroxybenzene	0 - 1%
	⚠ Muta. 2, H341; Carc. 2, H351; ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; ⚠ Acute Tox. (Oral) 4, H302; Skin Sens. 1, H317	

4. FIRST AID MEASURES

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and immerse affected areas in warm soapy water. If body parts are bonded together do not pull apart with direct opposing action. Seek medical attention if symptoms occur.

(Contd. on page 3)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 26.10.2016

Revision: 26.10.2016

Product Name: DYNAGRIP SUPA-BOND – ADHESIVE 10gm - 20210

(Contd. of page 2)

Eye Contact:

In case of eye contact, rinse cautiously with warm water for several minutes and apply a gauze pad. Seek immediate medical attention. Eyes will open in 1 - 4 days.

Ingestion:

If swallowed, do not induce vomiting. Rinse mouth with warm water. Peel or roll lips apart. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation. May cause asthma like symptoms.

Skin Contact: Bonds skin in seconds. May cause skin irritation and sensitization by skin contact. Cyanoacrylates generate heat on polymerization, so very large amounts will burn the skin.

Eye Contact: Causes serious eye irritation. Will bond eyelids and cause excessive tearing

Ingestion: Adhesive becomes solid in contact with saliva and may adhere to inside of mouth. Saliva will lift adhesive in 1-2 days.

5 . FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Water fog or fine water spray, foam, dry chemical powder or carbon dioxide.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and nitrogen.

Combustible liquid.

Product is polymerised to solid by water.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 . ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, safety glasses, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions: In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so. Flood with water to polymerise (cure) and soak up with an inert material such as clay or sand. Sweep or scrape up and dispose as dry waste. Collect and seal in properly labelled containers or drums for disposal. Cured material can only be removed by cutting or abrasion. Flush area with water spray to remove residue.

7 . HANDLING AND STORAGE

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Contaminated work clothing must not be allowed out of the workplace.

(Contd. on page 4)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 26.10.2016

Revision: 26.10.2016

Product Name: DYNAGRIP SUPA-BOND – ADHESIVE 10gm - 20210

(Contd. of page 3)

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep in original container tightly closed when not in use. Protect from heat, sparks, open flames and other sources of ignition. Keep away from food, water, amines and bases.

8 . EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Standards:**123-31-9 1,4-dihydroxybenzene**NES | TWA: 2 mg/m³**Engineering Controls:**

Maintain air concentration below occupational exposure standards, providing adequate ventilation.

Respiratory Protection:

Use an approved organic vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Chemical resistant polyethylene gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. Do not use PVC, nylon or cotton gloves.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 . PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Form:	Liquid
Colour:	Clear
Odour:	Sharp, irritating.
Odour Threshold:	No information available
pH-Value:	No information available
Melting point/Melting range:	No information available
Initial Boiling Point/Boiling Range:	> 145 °C
Flash Point:	85 °C (TAG)
Flammability:	Combustible Liquid Class 1
Auto-ignition Temperature:	485 °C
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure at 26 °C:	4 hPa

(Contd. on page 5)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 26.10.2016

Revision: 26.10.2016

Product Name: DYNAGRIP SUPA-BOND – ADHESIVE 10gm - 20210

(Contd. of page 4)

Relative Density:	1.08
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Not applicable, as product polymerises in water.
Partition Coefficient (n-octanol/water):	No information available
Viscosity at 22 °C:	2 - 10 cps
VOC:	< 20 g/L

10 . STABILITY AND REACTIVITY

Possibility of Hazardous Reactions:

Product is polymerised on contact with water, amines, alkalis and alcohols. Hazardous exothermic reaction may occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Heat, sparks, open flames and other sources of ignition.

Incompatible Materials: Water, amines, alkalis and alcohols

Hazardous Decomposition Products: Oxides of carbon and nitrogen.

11 . TOXICOLOGICAL INFORMATION

Toxicity:

LD₅₀/LC₅₀ Values Relevant for Classification:

123-31-9 1,4-dihydroxybenzene

Oral	LD ₅₀	320 mg/kg (rat)
------	------------------	-----------------

Acute Health Effects

Inhalation: May cause respiratory irritation. May cause asthma like symptoms.

Skin:

Bonds skin in seconds. May cause skin irritation and sensitization by skin contact. Cyanoacrylates generate heat on polymerization, so very large amounts will burn the skin.

Eye: Causes serious eye irritation. Will bond eyelids and cause excessive tearing

Ingestion:

Adhesive becomes solid in contact with saliva and may adhere to inside of mouth. Saliva will lift adhesive in 1-2 days.

Skin Corrosion / Irritation: Causes skin irritation.

Serious Eye Damage / Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity:

Suspected of causing genetic defects.

1,4-dihydroxybenzene is classified by Safe Work Australia as Mutagen Category 3.

Carcinogenicity:

Suspected of causing cancer.

(Contd. on page 6)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 26.10.2016

Revision: 26.10.2016

Product Name: DYNAGRIP SUPA-BOND – ADHESIVE 10gm - 20210

(Contd. of page 5)

1,4-dihydroxybenzene is classified by Safe Work Australia as Carcinogen Category 3.
Polymethyl methacrylate and 1,4-dihydroxybenzene are classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure: May cause respiratory irritation.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:
Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects:
Repeated or prolonged skin exposure may cause allergic dermatitis.
Prolonged and repeated overexposure to vapours may produce allergic reactions with asthma-like symptoms in sensitive individual.

Existing Conditions Aggravated by Exposure: No information available

12 . ECOLOGICAL INFORMATION

Ecotoxicity: No information available

Aquatic toxicity: No information available

Persistence and Degradability: No information available

Bioaccumulative Potential: No information available

Mobility in Soil: No information available

Other adverse effects: No information available

13 . DISPOSAL CONSIDERATIONS

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:
Please consult your state Land Waste Management Authority for more information.

14 . TRANSPORT INFORMATION

UN Number Not regulated

Proper Shipping Name Not regulated

Dangerous Goods Class Not regulated

Packing Group: Not regulated

15 . REGULATORY INFORMATION

Australian Inventory of Chemical Substances:

7085-85-0	ethyl 2-cyanoacrylate
9011-14-7	2-Propenoic acid, 2-methyl-, methyl ester, homopolymer
123-31-9	1,4-dihydroxybenzene

(Contd. on page 7)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 26.10.2016

Revision: 26.10.2016

Product Name: DYNAGRIP SUPA-BOND – ADHESIVE 10gm - 20210

(Contd. of page 6)

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 5

16 . OTHER INFORMATION

Date of Preparation or Last Revision: 26.10.2016**Prepared by:** MSDS.COM.AU Pty Ltdwww.msds.com.au**Abbreviations and acronyms:**

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds

LC₅₀: Lethal concentration, 50 percentLD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flam. Liq. 4: Flammable liquids, Hazard Category 4

Acute Tox. (Oral) 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Skin Sens. 1: Skin sensitisation, Hazard Category 1

Muta. 2: Germ cell mutagenicity, Hazard Category 2

Carc. 2: Carcinogenicity, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - December 2011"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. AFC International Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.



SAFETY DATA SHEET

According to Safe Work Australia

Printing date 06.01.2017

Revision: 06.01.2017

1 . IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product Name: DYNAGRIP SUPA-BOND – SUPAFUSE 10gm - 20210

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use:

Bonds to metals, plastics, glass and rubber when combined with SUPA-BOND ADHESIVE.

Details of Manufacturer or Importer:

AFC International Pty Ltd
21-23 Hobart Street
Riverstone NSW 2765

Phone Number: +61 2 9627 7125

Emergency telephone number: +61 2 9627 7125

2 . HAZARDS IDENTIFICATION

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



Eye Irrit. 2A H319 Causes serious eye irritation.

Signal Word Warning

Hazard Statements

H319 Causes serious eye irritation.

Precautionary Statements

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 06.01.2017

Revision: 06.01.2017

Product Name: DYNAGRIP SUPA-BOND – SUPAFUSE 10gm - 20210

(Contd. of page 1)

3 . COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical Characterization: Mixture**Description:** Mixture of substances listed below with nonhazardous additions.

Hazardous Components:		
497-19-8	sodium carbonate	99.2%
Not Set	Impurities and Water	To100%

4 . FIRST AID MEASURES

Inhalation:

If inhaled, remove to fresh air. If breathing difficulty or discomfort occurs and persists, obtain medical attention.

Skin Contact:

In case of skin contact, immediately flush skin with soap and plenty of water. Seek medical attention if irritation develops or persists. Remove contaminated clothing and shoes.

Eye Contact:

In case of eye contact, hold eye open and rinse slowly and gently with water for 15-20 minutes. Seek immediate medical attention/advice.

Ingestion:

If swallowed, do not induce vomiting. Rinse mouth with warm water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: Dry/sore throat, coughing, slight irritation

Exposure to high concentrations: Irritation of the respiratory tract. Irritation of the nasal mucous membranes.

Respiratory difficulties.

Skin Contact: Not irritating.

Eye Contact: Irritation of the eye. Lacrimation

Ingestion: Nausea, abdominal pain, irritation of the gastric/intestinal mucosa.

5 . FIRE FIGHTING MEASURES

Suitable Extinguishing Media: If a significant quantity of this product is involved in a fire, call the fire brigade. Adapt extinguishing media to the environment.**Specific Hazards Arising from the Chemical:**

Hazardous combustion products include oxides of carbon (COx). Carbon oxides (COx) can form. Reacts on exposure to water (moisture) with (some) metals.

Special Protective Equipment and Precautions for Fire Fighters:

Standard fire fighting gear: gloves, helmet, eye protection (safety glasses or face guard), protective clothing, protective boots, compressed air/oxygen apparatus.

Decomposition Temp: 400°C

(Contd. on page 3)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 06.01.2017

Revision: 06.01.2017

Product Name: DYNAGRIP SUPA-BOND – SUPAFUSE 10gm - 20210

(Contd. of page 2)

6 . ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Prevent dust cloud formation either by sweeping up or, if needed wetting down. Sweep up to prevent slipping hazard.

Environmental Precautions: Do not flush into surface water or sanitary sewer system. Prevent large quantities of this product from contacting vegetation or waterways; large spills could kill vegetation and fish.

Methods and Materials for Containment and Cleaning Up:

Scoop solid spill into properly labelled closed containers. Clean contaminated surfaces with an excess of water. Store labelled closed containers in a suitable place until transfer for disposal. Refer to section 13.

7 . HANDLING AND STORAGE

Precautions for Safe Handling:

Keep away from naked flames/heat, use air conveying/mechanical systems for bulk transfer to storage. Avoid raising dust. Provide appropriate exhaust ventilation at places where dust is formed. In case of insufficient ventilation, wear suitable respiratory equipment if release of airborne dust is expected.

Additional information:

Keep away from: Heat source, strong acids, water/moisture, some metals (aluminium, zinc), lime dust and moisture (could form caustic soda and cause burns).

Conditions for Safe Storage:

For bulk store in a cool, dry area. For containers, keep in a well-ventilated area, and product should be stored in its original labelled packaging and tightly closed. Keep product out of direct sunlight. Store product so it meets all legal requirements.

8 . EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Controls, Personal Protection:

The following Australian and New Zealand Standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: AS/NZS 1715, Protective Gloves: AS/NZS 2161, Industrial Clothing: AS 2919, Industrial Eye Protection: AS 1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS 2210.

Engineering Controls:

Avoid raising dust, carry operations in the open, under local exhaust/ventilation or with respiratory protection. Eye wash facility should be provided in storage and general work area.

Respiratory Protection:

In case of inadequate ventilation wear respiratory protection.

Skin Protection:

Wear suitable protective clothing, protective shoes or boots. Nitrile rubber, neoprene gloves.

Eye Protection:

Tightly fitting safety goggles.

Hygiene Measures:

Handle in accordance with good industrial hygiene and safety practice.

(Contd. on page 4)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 06.01.2017

Revision: 06.01.2017

Product Name: DYNAGRIP SUPA-BOND – SUPAFUSE 10gm - 20210

(Contd. of page 3)

9 . PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	
Form:	Solid
Colour:	White solid granules
Odour:	No odour
Odour Threshold:	No information available
pH-Value:	1% solution in water is 11.4
Melting point/Melting range:	851 °C
Initial Boiling Point/Boiling Range:	No information available
Flash Point:	No information available
Flammability:	Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes
Auto-ignition Temperature:	Not applicable - does not burn
Decomposition Temperature:	400 °C
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	Negligible at normal ambient temperatures
Relative Density:	0.70-0.90 g/cm ³
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	212.5g/L at 20°C
Partition Coefficient (n-octanol/water):	No information available
Specific Gravity:	2 .52 (bulk density 1.04 approx)
Upper Molecular Weight:	105.99

10 . STABILITY AND REACTIVITY

Possibility of Hazardous Reactions:

This product is unlikely to react or decompose under normal storage conditions.

Chemical Stability: Hygroscopic

Conditions to Avoid: Avoid raising dust. Keep away from naked flames/heat. Avoid exposure to moisture.

Incompatible Materials: Aluminium, Powdered Aluminium, (strong) acids, zinc.

Hazardous Decomposition Products: Sodium oxides, carbon oxides (CO₂).

(Contd. on page 5)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 06.01.2017

Revision: 06.01.2017

Product Name: DYNAGRIP SUPA-BOND – SUPAFUSE 10gm - 20210

(Contd. of page 4)

11 . TOXICOLOGICAL INFORMATION

Toxicity:

Classification of Hazardous Ingredients:

Ingredient - Sodium Carbonate

Risk Phrase - Conc>=20%: Xi; R36

Oral - LD50: Rat:2800mg/kg Dermal - LD50: Rabbit: >2000mg/kg Inhalation: LD50: Rat:2.3mg/L

Acute Health Effects

Inhalation: Long term inhalation of high amounts of any nuisance dust may overload lung clearance mechanism. Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

Eye: Irritating to eyes

Ingestion: Significant oral exposure is considered to be unlikely. However this product is an oral irritant. Symptoms may include burning sensation and reddening of skin in mouth and throat. Available data shows that this product is not harmful, this product is unlikely to cause any irritation problems in the short or long term.

LD50 Oral (Rat) 4090mg/kg

Skin: Non-irritating

Skin Sensitisation: Patch test of human volunteers did not demonstrate sensitization properties.

Germ Cell Mutagenicity: No data available

Carcinogenicity: No data available

Reproductive Toxicity: No data available

Specific Target Organ Toxicity (STOT) - Single Exposure: No data available

Specific Target Organ Toxicity (STOT) - Repeated Exposure: No data available

Aspiration Hazard: No data available

Mutagenicity: No data available

Existing Conditions Aggravated by Exposure: No data available

12 . ECOLOGICAL INFORMATION

Ecotoxicity: No information available

Aquatic toxicity: No information available

Persistence and Degradability: Biodegradability does not pertain to inorganic substances.

Bioaccumulative Potential: Does not bioaccumulate.

Mobility in Soil: Dissociates into ions, low potential for absorption in soil.

Other adverse effects: None known.

Acute Toxicity - Fish LC50: 300mg/L: 96 hours: Lepomis macrochirus

Acute Toxicity - Daphnia EC50: 200-227: 48 hours: Ceriodaphnia sp.

Acute Toxicity - Algae EC50: 242mg/L: 5 days: Algae

(Contd. on page 6)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 06.01.2017

Revision: 06.01.2017

Product Name: DYNAGRIP SUPA-BOND – SUPAFUSE 10gm - 20210

(Contd. of page 5)

13 . DISPOSAL CONSIDERATIONS

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 . TRANSPORT INFORMATION

UN Number Not regulated

Proper Shipping Name Not regulated

Dangerous Goods Class Not regulated

Packing Group: Not regulated

15 . REGULATORY INFORMATION

Poisons Schedule: S5

Hazard Category: Irritant

Poisons Schedule: All components of this material are listed on or exempt from the Australian Inventory of Chemical Substances (AICS)

16 . OTHER INFORMATION

Date of Preparation or Last Revision: 06.01.2017

Prepared by: AFC INTERNATIONAL PTY LTD

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - December 2011"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. AFC International Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. AFC International PTty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.

